



61504 / 2626



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport

South Wales  
NP10 8QQ 13 JUL 2004

WIPO PCT

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

1 July 2004

*P. Mahoney*

**PRIORITY  
DOCUMENT**

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

An Execu

stry

18 NOV 2003



19NOV03 085313Z-1 000019  
P01/7700 0.00-0326844.8

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

1. Your reference

P03598768

2. Patent application number

(The Patent Office will fill this part in)

0326844.8

3. Full name, address and postcode of the or of each applicant (underline all surnames)

JOHNSON & JOHNSON MEDICAL LIMITED  
ERSKINE HOUSE  
68-73 QUEEN STREET  
EDINBURGH, EH2 4NH  
UNITED KINGDOM

Patents ADP number (if you know it)

06008031002

If the applicant is a corporate body, give the country/state of its incorporation

UNITED KINGDOM

4. Title of the invention

ANTIOXIDANT AND ANTIMICROBIAL WOUND DRESSING MATERIALS

5. Name of your agent (if you have one)

CARPMAELS & RANSFORD

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

43-45 BLOOMSBURY SQUARE  
LONDON  
WC1A 2RA

Patents ADP number (if you know it)

83001 ✓

6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last 12 months.

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. Divisionals, etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note d)

Number of earlier UK application

Date of filing  
(day / month / year)

8. Is a Patents Form 7/77 (Statement of inventorship and of right to grant of a patent) required in support of this request?

Answer YES if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

Yes

Otherwise answer NO (See note d)

# Patents Form 1/77

9. Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form

Description

22

Claim(s)

3

Abstract

1

Drawing(s)

*James*

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for a preliminary examination and search (Patents Form 9/77)

1

Request for a substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature(s)

*Carpmuel. Ransford*

Date 18 November 2003

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom

DR. ANTHONY JAMES

020 7242 8692

CARPMAELS & RANSFORD

## Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

## Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered YES in part 8, a Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should also complete part 6 with the priority details.


## ANTIOXIDANT AND ANTIMICROBIAL WOUND DRESSING MATERIALS

The present invention relates to antimicrobial wound dressing materials, to processes suitable for the preparation of such materials, and to the use of such materials in the manufacture of wound dressings.


The antimicrobial effect of silver has been known for centuries. However, the precise mode of action of silver salts in killing microbes is yet to be established. It is known that silver salts bind with particular avidity to DNA and RNA. Silver salts also bind with particular strength to a variety of organic molecules such as: carboxylic acids, thiols, phenols, amines, phosphates and halogenated compounds. Following binding to proteins, those with enzymic activity are usually deactivated. The oxidative-reductive powers of silver and silver salts must also be reckoned with.

15


It is known to use metallic silver as an antimicrobial, whether in the form of thin films, nanoparticles or colloidal silver. Chemical compounds of silver are also useful as antimicrobials. For example, the following complex silver salts are favoured for use against sensitive and resistant bacterial strains:



Silver Sulfadiazine




Silver Norfloxacinat




Silver Pipemidate

Kaolin Silver

Silver EDTAate



Silver thiosalicylate



Silver imidazolium chloride

WO91/11206 describes the use of silver alginate salts in wound dressings. WO87/05517 describes silver salts of hyaluronic acid that may be used as or in antimicrobial wound dressings. These materials tend not to be stable in the presence of light. The silver undergoes photochemical reduction to metallic silver,  
5 causing a darkening of the materials over time.

WO02/43743 describes light-stabilized antimicrobial wound dressing materials in which silver salts are stabilized by the addition of a photostabilizer selected from the group consisting of ammonium salts, thiosulfates, metal chlorides and  
10 peroxides. Such photostabilizers are of limited effectiveness, and will tend to be extracted from the dressing material by wound fluid.

A need therefore remains for improved antimicrobial dressings containing light-stabilized silver compounds.

15

Concentrations of reactive oxygen species such as hydroxyl radicals ( $\cdot\text{OH}$ ), singlet oxygen ( $^1\text{O}_2$ ), hydroperoxyl radicals ( $\cdot\text{OOH}$ ), superoxideradical anions ( $\cdot\text{O}_2^-$ ), and hydrogen peroxide ( $\text{H}_2\text{O}_2$ ) can rise in damaged tissues, producing a condition known as oxidative stress. The presence of a low level of reactive oxygen species  
20 may be advantageous in the early stages of wound healing by both attracting and activating macrophages which engulf and kill bacteria and release cytokines and growth factors. Under mild oxidative stress conditions when hydrogen peroxide levels are slightly raised (around  $10^{-8}$  to  $10^{-4}$  molar), it has also been found that the rate of cell proliferation in fibroblast cultures is stimulated. However, prolonged  
25 and more severe oxidative stress may delay healing because it will produce chronic inflammation, divert available energy supply towards antioxidant defence at the expense of tissue reconstruction, and increase levels of matrix metalloproteinases which cause tissue breakdown. In more severe cases, elevated levels of reactive oxygen species can give rise to hydrogen peroxide-  
30 induced senescence or apoptosis (that is, programmed cell death) or tissue , necrosis (that is, uncontrolled cell death and therefore permanent tissue damage).

Accordingly, the healing of chronic wounds may be assisted by the use of antioxidant wound dressings that react specifically with excess reactive oxygen species such as those listed above and hence reduce the level of oxidative stress.

- 5 US-A-5667501 describes compositions comprising chemically modified polymers grafted with chemical groups that confer antioxidant activity as measured by a diphenylpicrylhydrazyl (DPPH) test and that also generate low levels of hydrogen peroxide by reaction with molecular oxygen in the wound bed to stimulate macrophage activity and fibroblast proliferation. The compositions may be used to
- 10 promote the healing of chronic wounds. Preferably, the polymer is a polymer bearing hydroxyl, carbonyl or amide functional groups, or a polysaccharide bearing hydroxyl functional groups, said functional groups having been converted to derivatives that are persistent free radicals or precursors of persistent free radicals, that is to say they are free-radical-scavenging antioxidant groups.

15

- US-A-5612321 describes compositions comprising polysaccharides grafted with antioxidants on at least one hydroxyl group of the polysaccharide. The compositions may be used inter alia to promote the healing of chronic wounds. Preferably, the polysaccharide is hyaluronic acid and the antioxidant group
- 20 comprises a phenol group.

The above antioxidant wound dressing materials are made by multi-step chemical reactions to achieve covalent bonding of antioxidant moieties, such as hydroquinones or benzimidazole derivatives, to the polymeric substrate materials.

25

A need therefore remains for a more simple and inexpensive route to antioxidant wound dressing materials.

- In a first aspect, the present invention provides a wound dressing material
- 30 comprising a polymeric substrate, a silver salt, and a dyestuff to photostabilize the silver salt.

The wound dressing materials according to the present invention may be provided in the form of gels, beads, flakes, powder, and preferably in the form of a film, a fibrous pad, a web, a woven or non-woven fabric, a freeze-dried sponge, a foam or combinations thereof. In certain embodiments, the material is selected from the group consisting of woven fabrics, knitted fabrics, and nonwoven fabrics, all of which may be made by conventional methods. In other embodiments, the material may comprise (or consist essentially of) a freeze-dried sponge or a solvent-dried sponge. Methods of making freeze-dried and solvent-dried sponges are described in EP-A-1153622 and EP-A-0838491, the entire contents of which are incorporated herein by reference.

The wound dressing material is typically in sheet form, for example having an area of from about  $1\text{cm}^2$  to about  $400\text{cm}^2$ , in particular from about  $2\text{cm}^2$  to about  $100\text{cm}^2$ . The basis weight of the sheet is typically from about  $100\text{g/m}^2$  to about  $5000\text{g/m}^2$ , for example from about  $400\text{g/m}^2$  to about  $2000\text{g/m}^2$ .

The polymeric substrate may make up at least 50% by weight of the wound dressing material, for example at least 75% by weight or at least 90% by weight. The substrate polymer is usually not water soluble, but it may be water swellable.

The polymeric substrate may be bioabsorbable or non-bioabsorbable. The term "bioabsorbable polymer" refers to a polymer that is fully degraded and absorbed *in vivo* in the mammalian body.

Suitable non-bioabsorbable polymers include common textile materials such as cellulose, processed cellulose such as viscose, polyamide, polyurethane, and also alginates.

Suitable bioabsorbable polymers include those selected from the group consisting of collagens, bioabsorbable cellulose derivatives such as oxidized celluloses, galactomannans such as guar/borate, glycosaminoglycans such as cross-linked hyaluronates, polylactides/polyglycolides, polyhydroxybutyrates, and mixtures thereof.

In certain preferred embodiments the polymeric substrate comprises (and may consist essentially of) a solid bioabsorbable material selected from the group consisting of collagens, chitosans, oxidized celluloses, and mixtures thereof.

5

Oxidized cellulose is produced by the oxidation of cellulose, for example with dinitrogen tetroxide. This process converts primary alcohol groups on the saccharide residues to carboxylic acid group, forming uronic acid residues within the cellulose chain. The oxidation does not proceed with complete selectivity, and  
10 as a result hydroxyl groups on carbons 2 and 3 are occasionally converted to the keto form. These ketone units introduce an alkali labile link, which at pH7 or higher initiates the decomposition of the polymer via formation of a lactone and sugar ring cleavage. As a result, oxidized cellulose is biodegradable and bioabsorbable under physiological conditions.

15

The preferred oxidized cellulose for practical applications is oxidized regenerated cellulose (ORC) prepared by oxidation of a regenerated cellulose, such as rayon. It has been known for some time that ORC has haemostatic properties, and that application of ORC fabric can be used to reduce the extent of post-surgical  
20 adhesions in abdominal surgery.

The oxidized regenerated cellulose (ORC) can be obtained by the process described in US Patent No. 3122479, the entire content of which is incorporated herein by reference. This material offers numerous advantages including the  
25 features that it is biocompatible, biodegradable, non-immunogenic and readily commercially available. ORC is available with varying degrees of oxidation and hence rates of degradation. The ORC may be used in the form of insoluble fibers, including woven, non-woven and knitted fabrics. In other embodiments, the ORC is in the form of water-soluble low molecular weight fragments obtained by alkali  
30 hydrolysis of ORC.

In certain embodiments, the oxidized cellulose is in the form of particles, such as fiber particles or powder particles, for example dispersed in a suitable solid or



semisolid topical medicament vehicle. In particular, the materials preferably contain ORC fibers, wherein a volume fraction of at least 80% of the fibers have lengths in the range of 20 $\mu$ m to 1000 $\mu$ m. Such a size distribution can be achieved, for example, by milling an ORC cloth, followed by sieving the milled powder to remove fibers outside the range. Preferably, the average (mean by volume) length of the ORC fibers is in the range 250 $\mu$ m to 450 $\mu$ m. The selection of ORC fiber lengths in this range results in easy mixing of the ORC and other components and highly homogeneous products.

- 10 Preferably, the oxidised cellulose has an average molecular weight greater than 50,000. Such oxidised cellulose is substantially insoluble in wound fluids, but will undergo very gradual breakdown into bioresorbable fragments at physiological pH. Preferably, the oxidized cellulose is not neutralized. However, the present invention encompasses the use of partially or completely neutralised materials as described in EP-A-0437095. Especially suitable materials are made if the neutralization is carried out partially or completely with the silver salt of a weak acid, such as silver acetate.

- Chitin is a natural biopolymer composed of N-acetyl-D-glucosamine units. Chitin may be extracted from the outer shell of shrimps and crabs in known fashion. The chitin is then partially deacetylated, for example by treatment with 5M-15M NaOH, to produce chitosan. Complete deacetylation of the chitin is not a practical possibility, but preferably the chitosan is at least 50% deacetylated, more preferably at least 75% deacetylated. Chitosan has been employed for wound treatment in various physical forms, e.g. as a solution/gel; film/membrane; sponge; powder or fiber. Chitosan in the free base form is swellable but not substantially soluble in water at near-neutral pH, but soluble in acids due to the presence of ammonium groups on the chitosan chain. The solubility of the chitosan may be reduced by cross-linking, for example with epichlorhydrin. Typically, the average molecular weight of the chitosan as determined by gel permeation chromatography is from about 10<sup>5</sup> to about 10<sup>6</sup>.

The collagen useful as the polymeric substrate on the materials according to the present invention may be any collagen, including Type I or Type II or Type III collagen, natural fibrous collagen, atelocollagen, partially hydrolysed collagens such as gelatin, and combinations thereof. Natural fibrous collagen, for example  
5 of bovine origin, is suitable. For example, the collagen prepared from bovine hide is a combination of Type I collagen (85%) and Type III collagen (15%).

In certain embodiments of the present invention, the oxidized cellulose is complexed with collagen and/or chitosan to form structures of the kind described  
10 in WO98/00180, WO98/00446 or PCT/GB03/004019, the entire contents of which are expressly incorporated herein by reference. For example, the oxidized cellulose may be in the form of milled ORC fibres that are dispersed in a freeze-dried collagen or chitosan sponge. This provides for certain therapeutic and synergistic effects arising from the complexation with collagen.

15

In particular embodiments, the polymeric substrate comprises (and may consist essentially of) a mixture of: (a) collagen and/or chitosan; and (b) oxidized regenerated cellulose, for example in a dry weight ratio range of from about 90:10 to about 10:90 of collagen/chitosan:ORC, preferably from about 75:25 to about  
20 25:75, and particularly from about 60:40 to about 40:60.

Preferably, the amount of silver (as silver ions and metallic silver) in the materials according to the present invention is from about 0.01wt% to about 5wt.%, more preferably from about 0.1wt% to about 2wt.%, and most preferably about 0.1wt%  
25 to about 1wt.%, most preferably about 0.3wt.%. Lesser amounts of silver could give insufficient antimicrobial effect. Greater amounts of silver could give rise to antiproliferative effects on wound healing cells.

The silver may be introduced by treating the polymeric substrate material with a  
30 silver salt or compound dissolved or dispersed in water or an organic solvent such as ethanol, for example as described in WO02/43743. Suitable compounds include silver oxide, silver chromate, silver allantoinate, silver borate, silver glycerolate, silver nitrate, silver acetate, silver chloride, silver sulfate, silver lactate,

silver bromide, silver iodide, silver carbonate, silver citrate, silver laurate, silver deoxycholate, silver salicylate, silver p-aminobenzoate, silver p-aminosalicylate, and mixtures thereof. Preferably, the silver is not present as silver sulfadiazine.

- 5 In preferred embodiments, the silver may be complexed to the polymeric substrate material. The term "complex" refers to an intimate mixture at the molecular scale, preferably with ionic or covalent bonding between the silver and the polymer. The complex preferably comprises a salt formed between an anionic polymer and  $\text{Ag}^+$ . Suitably, the anionic polymer is a polycarboxylate. Suitably, the anionic polymer  
10 comprises an anionic polysaccharide or a polyacrylate. Suitable anionic polysaccharides include alginates, hyaluronates, pectins, carrageenans, xanthan gums, sulfated polysaccharides such as dermatan sulfate or sulfated dextrans, and carboxylated cellulose derivatives such as carboxymethyl celluloses and oxidized celluloses.

15

- The complex of an anionic polymer and silver can be made by a method comprising the step of treating an anionic polymer with a solution of a silver salt. Preferably, the solution is an aqueous solution. Preferably, the anionic polymer is substantially insoluble in water at pH7, and the treatment is therefore carried out  
20 on the polymer in the solid state. For example, the polymer may be in the form of solid fibers, sheet, sponge or fabric. In certain embodiments, the anionic polymer is a salt and the treatment therefore can be regarded as an ion exchange. In other embodiments, the anionic polymer is at least partly in free acid form, in which case the silver salt is preferably a salt of a weak acid, for example silver acetate,  
25 whereby the anionic polymer is at least partially neutralised by the silver salt. Similar processes are described in EP-A-0437095, the entire content of which is expressly incorporated herein by reference.

- The neutralization reaction can be carried out in water or alcohol alone but is  
30 preferably carried out in mixtures of water and alcohols. The use of a mixture of water and alcohol provides good solubility for the weak acid salts via the water, and the alcohol prevents the anionic polymer from excessively swelling, distorting and weakening during the neutralization. Thus the physical properties of the

material are retained. Methanol is the preferred alcohol because many of the above-mentioned salts have good solubility in this alcohol in combination with water. Preferably, the alcohol to water ratio has a range of about 4:1 to 1:4. If the solution becomes too rich in alcohol, some salts may no longer be soluble particularly if the alcohol is other than methanol. If the solution becomes too rich in water, some swelling of the polymer will occur as neutralization takes place and there will be some loss in physical properties such as in the tensile strength of the polymer. Other useful alcohols include, for example, ethyl alcohol, propyl alcohol and isopropyl alcohol.

10

The use of a mild neutralizing agent such as silver acetate allows for control of the degree of neutralization. Use of stoichiometric and chemically equivalent amounts of neutralizing agent and carboxylic acid on the anionic polymer does not produce a 100% neutralized polymer as would be produced with strong irreversible reactions with bases such as sodium hydroxide, sodium carbonate, sodium bicarbonate and ammonium hydroxide.

Anionic polymers behave as an ion exchanger and will pull out of solution the silver cation of any silver salt that is passed over them. The by-product of this exchange is an acid from the salt and by using a salt of a weak organic acid, a weak acid such as acetic acid is produced which does no damage to the polymer. Using salts of strong acids such as sodium chloride or sodium sulfate produces hydrochloric acid or sulfuric acid by-products respectively, and these strong acids can cause damage such as depolymerization of the polymer

25

When using silver salts of weak acids, the silver ion is exchanged for a proton on the polymer and part of the salt is converted to weak acid. The mixture of acid and salt in the solution results in a buffered solution which maintains a fairly constant pH and controls the degree of neutralization. An equilibrium reaction is established whereby the silver ions are bound to the acid portion of the polymer and also to the salt molecules. This partitioning of the silver ions prevents the neutralization of the polymer from going to completion.

30

Using a stoichiometric amount of, for example, silver acetate brings about a 65-75% degree of neutralization of the carboxylic acid groups on an oxidized cellulose polymer. This control of pH by creating a self generating buffered solution and the use of methanol to control the swelling of the material, leads to a partially  
 5 neutralized material in which the physical properties, e.g. tensile strength and shape of the polysaccharide, are preserved.

The amount of silver salt used is generally about equal to or up to twice the stoichiometric amount of carboxylic acid content of the polysaccharide.  
 10 Alternatively, a second charge of a stoichiometric amount of silver salt can be used if the reaction is recharged with fresh solvent and salt after the first charge reaches a constant pH. The material with elevated pH is then washed to remove the excess silver salt and ions therefrom.

15 In certain embodiments, at least a portion of the wound dressing material comprises a collagen complexed with silver. This can be achieved by treating a collagen with a solution of a silver salt. The silver salt may for example be silver acetate or silver nitrate at a concentration of about 0.01 molar to about 1 molar. The treatment is preferably carried out at a pH of from about 5 to about 9. It is  
 20 thought that the silver complexes primarily to the nitrogen-containing side chains of the collagen amino acids, in particular to lysine, hydroxylysine, asparagine, glutamine and arginine. The silver could also bind to the sulfhydryl groups of methionine and cysteine residues, where present, and to carboxyl groups of aspartate and glutamate.

25

Preferably the amount of silver in the collagen complex is from about 0.01 to about 30% by weight based on the weight of the collagen, more preferably from about 0.1% to about 20%, more preferably from about 2% to about 10% by weight. Preferably, the amount of silver-collagen complex in the wound dressing material  
 30 is from about 0.1 to about 10 wt.%, more preferably from about 0.1 to about 2wt.%. In any case, the total amount of silver in the wound dressing material is generally as specified above.

It will be appreciated that the complexes of silver with polysaccharides described above may be prepared with a relatively high silver content, for example greater than 5wt.%, and then diluted with further polysaccharide (the same or different) to achieve the desired overall silver content of from 0.01wt.% to 5wt.%, preferably  
5 from about 0.2wt.% to about 2wt.%.

The term "dyestuff" refers to a material that is useful as a colorant for textile materials, that is to say an organic compound that is strongly light-absorbing in the visible region 400-700nm and that binds in substantially water-tight fashion to  
10 textile materials such as cellulose fabrics. The dyestuffs can stabilize the silver salts against photochemical decomposition by absorbing light near the surface of the material. The dyestuffs also trap photochemically generated free radicals that could otherwise react with the silver. In this way the dyestuffs can act as photochemical desensitisers.

15 The dyestuffs may be any suitable, medically acceptable dyestuff that stabilizes silver salts against photochemical reduction to metallic silver. Medically acceptable organic desensitisers of the kind used in photography are suitable. Also suitable are the so-called antioxidant dyestuffs.

20 In certain embodiments, the antioxidant dyestuff is selected from the group consisting of aniline dyes, acridine dyes, thionine dyes, bis-naphthalene dyes, thiazine dyes, azo dyes, anthraquinone dyes, and mixtures thereof. For example, the antioxidant dyestuff may be selected from the group consisting of gentian  
25 violet, aniline blue, methylene blue, crystal violet, acriflavine, 9-aminoacridine, acridine yellow, acridine orange, proflavin, quinacrine, brilliant green, trypan blue, trypan red, malachite green, azacrine, methyl violet, methyl orange, methyl yellow, ethyl violet, acid orange, acid yellow, acid blue, acid red, thioflavin, alaphazurine, indigo blue, methylene green, and mixtures thereof.

30 The dyestuff may be present in the wound dressing material according to the invention in an amount of from about 0.05% to about 5wt.%, typically about 0.2 to about 2wt.% based on the dry weight of the material.

The step of dyeing may be carried out either before, concurrently with, or after the step of silver treatment, but preferably it is not carried out after the treatment with silver in order to avoid leaching of silver into the dye bath.

5

It has been found that medically acceptable polymeric substrate materials such as oxidized regenerated cellulose have excellent avidity for dyes, such as the antioxidant dyes listed above. This enables controlled amounts of the dyes to be fixed onto the substrate materials in a simple and inexpensive dyeing step. The dyes act as photochemical desensitizers to stabilize the silver salts against photochemical reduction. It has further been found that, when antioxidant dyes are used, the resulting dyed materials retain the antioxidant properties of the dyestuff, thereby making them excellent candidates for the treatment of chronic wounds and other wounds characterised by elevated levels of oxygen free radicals.

10  
15

The wound dressing materials according to the present invention may also comprise up to 20% by weight, preferably less than 10% by weight of water. The material may also contain 0-40% by weight, preferably 0-25% by weight of a plasticiser, preferably a polyhydric alcohol such as glycerol. The material may also comprise 0-10% by weight, preferably 0-5% by weight of one or more additional therapeutic wound healing agents, such as non-steroidal anti-inflammatory drugs (e.g. acetaminophen), steroids, antibiotics (e.g. penicillins or streptomycins), antiseptics other than silver (e.g. chlorhexidine), or growth factors (e.g. fibroblast growth factor or platelet derived growth factor). All of the above percentages are on a dry weight basis.

20  
25

The wound dressing material according to the present invention is preferably sterile and packaged in a microorganism-impermeable container.

30

Preferably, the material according to the present invention has a free radical activity, that is to say an antioxidant activity, of at least about 15% in the diphenylpicrylhydrazyl (DPPH) test, measured as percentage reduction in

absorbance at 524nm after 4 hours of a 0.5%w/v dispersion of the polysaccharide in  $10^{-4}$ M DPPH, as described further hereinbelow in Procedure 1. Preferably the percentage reduction in absorbance in the DPPH test (after correction for any absorbance by the dye) is at least about 25%, more preferably at least about 50%,  
5 and most preferably at least about 75%.

Alternatively or additionally, the material according to the present invention may exhibit antioxidant activity as measured by its ability to inhibit the oxidation of ABTS (2,2'-azino-di-[3-ethylbenzthiazoline sulphonate]) by a peroxidase.

10

Preferably, the materials according to the present invention exhibit antimicrobial ability against at least *Staphylococcus aureus* and *Pseudomonas aeruginosa*, and preferably also against *Salmonella choleraesuis* and *Candida albicans*, as determined by the zone of clearance test described hereunder as Procedure 2.

15

Preferably, the material according to the present invention will absorb water or wound fluid and hence become wet, swell or become a gelatinous mass but will not spontaneously dissolve or disperse therein. That is to say, it is hydrophilic but has a solubility of preferably less than about 1g/liter in water at 25°C. Low  
20 solubility renders such materials especially suitable for use as wound dressings to remove reactive oxygen species from the wound fluid.

The antioxidant and antimicrobial properties of the materials according to the present invention suggest applications in a range of medical applications, including  
25 the treatment of acute surgical and traumatic wounds, burns, fistulas, venous ulcers, arterial ulcers, pressure sores (otherwise known as decubitus ulcers), diabetic ulcers, ulcers of mixed aetiology, and other chronic or necrotic wounds and inflammatory lesions and disorders. The materials according to the present invention are primarily intended for the treatment of both infected wounds and non-  
30 infected wounds (that is to say wounds showing no clinical signs of infection).

Accordingly, in a further aspect the present invention provides the use of a material according to the present invention for the preparation of a medicament for



the treatment of a wound. Preferably, the wound is a chronic wound and/or an infected wound. More preferably, the chronic wound is selected from the group consisting of ulcers of venous, arterial or mixed aetiology, decubitus ulcers, or diabetic ulcers.

5

In a related aspect, the present invention provides a method of treatment of a wound in a mammal comprising applying thereto a therapeutically effective amount of a material according to the present invention. Preferably, the wound is a chronic wound.

10

In a further aspect, the present invention provides a wound dressing comprising a wound dressing material according to the present invention.

The wound dressing is preferably in sheet form and comprises an active layer of the material according to the invention. The active layer would normally be the wound contacting layer in use, but in some embodiments it could be separated from the wound by a liquid-permeable top sheet. Preferably, the area of the active layer is from about  $1\text{cm}^2$  to about  $400\text{cm}^2$ , more preferably from about  $4\text{cm}^2$  to about  $100\text{cm}^2$ .

20

Preferably, the wound dressing further comprises a backing sheet extending over the active layer opposite to the wound facing side of the active layer. Preferably, the backing sheet is larger than the active layer such that a marginal region of width 1mm to 50mm, preferably 5mm to 20mm extends around the active layer to form a so-called island dressing. In such cases, the backing sheet is preferably coated with a pressure sensitive medical grade adhesive in at least its marginal region.

Preferably, the backing sheet is substantially liquid-impermeable. The backing sheet is preferably semipermeable. That is to say, the backing sheet is preferably permeable to water vapour, but not permeable to liquid water or wound exudate. Preferably, the backing sheet is also microorganism-impermeable. Suitable continuous conformable backing sheets will preferably have a moisture vapor

30

transmission rate (MVTR) of the backing sheet alone of 300 to 5000 g/m<sup>2</sup>/24hrs, preferably 500 to 2000 g/m<sup>2</sup>/24hrs at 37.5 °C at 100% to 10% relative humidity difference. The backing sheet thickness is preferably in the range of 10 to 1000 micrometers, more preferably 100 to 500 micrometers. It has been found that  
5 such moisture vapor transmission rates allow the wound under the dressing to heal under moist conditions without causing the skin surrounding the wound to macerate.

Suitable polymers for forming the backing sheet include polyurethanes and poly  
10 alkoxyalkyl acrylates and methacrylates such as those disclosed in GB-A-1280631. Preferably, the backing sheet comprises a continuous layer of a high density blocked polyurethane foam that is predominantly closed-cell. A suitable backing sheet material is the polyurethane film available under the Registered  
Trade Mark ESTANE 5714F.

15

The adhesive (where present) layer should be moisture vapor transmitting and/or patterned to allow passage of water vapor therethrough. The adhesive layer is preferably a continuous moisture vapor transmitting, pressure-sensitive adhesive layer of the type conventionally used for island-type wound dressings, for example,  
20 a pressure sensitive adhesive based on acrylate ester copolymers, polyvinyl ethyl ether and polyurethane as described for example in GB-A-1280631. The basis weight of the adhesive layer is preferably 20 to 250 g/m<sup>2</sup>, and more preferably 50 to 150 g/m<sup>2</sup>. Polyurethane-based pressure sensitive adhesives are preferred.

25 Further layers of a multilayer absorbent article may be built up between the active layer and the protective sheet. For example, these layers may comprise an absorbent layer between the active layer and the protective sheet, especially if the dressing is for use on exuding wounds. The optional absorbent layer may be any of the layers conventionally used for absorbing wound fluids, serum or blood in the  
30 wound healing art, including gauzes, nonwoven fabrics, superabsorbents, hydrogels and mixtures thereof. Preferably, the absorbent layer comprises a layer of absorbent foam, such as an open celled hydrophilic polyurethane foam prepared in accordance with EP-A-0541391, the entire content of which is

- expressly incorporated herein by reference. In other embodiments, the absorbent layer may be a nonwoven fibrous web, for example a carded web of viscose staple fibers. The basis weight of the absorbent layer may be in the range of 50-500g/m<sup>2</sup>, such as 100-400g/m<sup>2</sup>. The uncompressed thickness of the absorbent layer may be in the range of from 0.5mm to 10mm, such as 1mm to 4mm. The free (uncompressed) liquid absorbency measured for physiological saline may be in the range of 5 to 30 g/g at 25°. Preferably, the absorbent layer or layers are substantially coextensive with the active layer.
- 5 The wound facing surface of the dressing is preferably protected by a removable cover sheet. The cover sheet is normally formed from flexible thermoplastic material. Suitable materials include polyesters and polyolefins. Preferably, the adhesive- facing surface of the cover sheet is a release surface. That is to say, a surface that is only weakly adherent to the active layer and the adhesive on the
- 15 backing sheet to assist peeling of the adhesive layer from the cover sheet. For example, the cover sheet may be formed from a non-adherent plastic such as a fluoropolymer, or it may be provided with a release coating such as a silicone or fluoropolymer release coating.
- 20 Typically, the wound dressing according to the present invention is sterile and packaged in a microorganism-impermeable container.

In a further aspect, the present invention provides a method of manufacture of an antioxidant wound dressing material, comprising the steps of: dyeing a polymeric

25 substrate material with a dye which stabilizes silver salts against photochemical reduction; and treating the substrate material with a silver salt dissolved or dispersed in water or an organic solvent.

The method according to the present invention may be used to prepare a wound

30 dressing material according to the present invention.

The method of the present invention may comprise dyeing a substrate material in sheet form, for example a woven, nonwoven or knitted fabric or sponge sheet of

the substrate material by immersing it in a dye bath, followed by washing to remove unbound dye, treatment with a silver salt as hereinbefore described, and drying. In other embodiments, the substrate material may be dyed while it is in fibrous or particulate form, followed by forming the material into a sheet. For example, a slurry of fibers or particles of the substrate material may be treated with dye, and then freeze-dried to form a dyed sponge. The silver treatment may be carried out on the slurry, or on the sponge after freeze-drying.

It will be appreciated that any feature or embodiment that is described herein in relation to any one aspect of the invention may also be applied to any other aspect of the invention.

Certain specific embodiments of the present invention will now be described further in the following examples.

15

#### Example 1

An antioxidant and antimicrobial wound dressing material based on a collagen/ORC freeze-dried sponge material is prepared as follows.

20 The collagen component is prepared from bovine corium as follows. Bovine corium is split from cow hide, scraped and soaked in sodium hypochlorite solution (0.03% w/v) to inhibit microbial activity pending further processing. The corium is then washed with water and treated with a solution containing sodium hydroxide (0.2% w/v) and hydrogen peroxide (0.02% w/v) to swell and sterilize the corium at ambient temperature. The corium splits then undergo an alkali treatment step in a solution containing sodium hydroxide, calcium hydroxide and sodium bicarbonate (0.4% w/v, 0.6% w/v and 0.05% w.v, respectively) at pH greater than 12.2, ambient temperature, and for a time of 10-14 days, with tumbling, until an amide nitrogen level less than 0.24mmol/g is reached. The corium splits then undergo an acid treatment step with 1% hydrochloric acid at ambient temperature and pH 0.8-1.2. The treatment is continued with tumbling until the corium splits have absorbed sufficient acid to reach a pH less than 2.5. The splits are then washed with water until the pH value of corium splits reaches 3.0-3.4. The corium splits are then

comminuted with ice in a bowl chopper first with a coarse comminution and then with a fine comminution setting. The resulting paste, which is made up in a ratio of 650g of the corium splits to 100g of water, as ice, is frozen and stored before use in the next stage of the process. However, the collagen is not freeze-dried before  
5 admixture with the ORC & other components in the next stage.

The ORC component of the freeze-dried pad is prepared as follows. A SURGICEL cloth (Johnson & Johnson Medical, Arlington) is milled using a rotary knife cutter through a screen-plate, maintaining the temperature below 60°C.

10

Methylene blue, an acidic dye, was incorporated by dissolving an appropriate amount of the dye in 0.05M acetic acid and adding to the collagen paste with the milled ORC powder to obtain a slurry. Samples were made in which the dye was incorporated at the following concentrations in the final slurry: 0% (reference  
15 example), 1mg/ml, 0.5mg/ml and 0.1mg/ml.

Silver is incorporated by dissolving silver acetate in 0.05M acetic acid and adding the solution to the slurry to achieve a final solids concentration in the slurry of about 1%w/w. The silver acetate is added in an amount sufficient to produce a  
20 final slurry containing 1wt.% silver on a total solids basis.

The final slurry was poured into petri dishes to a depth of 3mm, and placed onto freezer shelves where the temperature has been preset to -40°C. The freeze-drier programme was then initiated to dry and dehydrothermally cross-link the collagen  
25 and ORC to form sponge pads. On completion of the cycle, the vacuum was released, sponge samples were then packaged, and sterilized by cobalt 60 gamma-irradiation.

### Example 2

30 The procedure of Example 1 was followed, but replacing the methylene blue dye by crystal violet, a basic dye. The crystal violet was incorporated at the following concentrations in the slurry: 0% (reference example), 1mg/ml, 0.5mg/ml and 0.1mg/ml.

### Example 3

The procedure of Example 1 was followed, but replacing the methylene blue dye by flavin 3,6-Diaminoacridine hemisulfate, a basic dye. The flavin was incorporated at the following concentrations in the slurry: 0% (reference example), 1mg/ml, 0.5mg/ml and 0.1mg/ml.

### Example 4

The procedure of Example 1 was followed, but replacing the methylene blue dye by flavin 3,6-Diaminoacridine hemisulfate, a basic dye. The flavin was incorporated at the following concentrations in the slurry: 0% (reference example), 1mg/ml, 0.5mg/ml and 0.1mg/ml.

### Example 5

The procedure of Example 1 was followed, but replacing the methylene blue dye by a mixture of methylene blue and flavin 3,6-Diaminoacridine hemisulfate, each dye being incorporated in the slurry at a concentration of 0.5mg/ml.

### Example 6

The procedure of Example 1 was followed, but replacing the methylene blue dye by a mixture of crystal violet and flavin 3,6-Diaminoacridine hemisulfate, each dye being incorporated in the slurry at a concentration of 0.5mg/ml.

### Example 7

The procedure of Example 1 was followed, but replacing the methylene blue dye by a mixture of crystal violet and methylene blue, each dye being incorporated in the slurry at a concentration of 0.5mg/ml.

The sponges according to the invention obtained in Examples 1 to 7 all showed stable absorption of the dyes. The sponges could be been soaked in serum at 25°C for a number of days and remained coloured at all times. Depending on concentration of dye added there was an initial release of the excess dye and then a gradual release as the sponges began to degrade.

### Procedure 1

The ability of the wound dressing materials to react with and remove oxygen containing free radicals is assessed by the DPPH test described in WO94/13333, the entire content of which is expressly incorporated herein by reference. The test is adapted from that described by Blois M.S. in Nature 181: 1199 (1958), and Banda P.W. et al., in Analytical Letters 7: 41 (1974).

Briefly, the wound dressing material under test (2.5mg; 5mg; & 25mg sample sizes) was suspended in 2.5ml of 0.1M pH 7.0 phosphate buffer. A solution of diphenylpicrylhydrazyl (DPPH) in methanol ( $10^{-4}$  M) was added in an amount of 2.5 ml and the mixture was shaken and stored in the dark at 20°C. The samples were assessed by measurement of their light absorbance at 524nm over 6 hours in comparison with a control, particular attention being paid to the figure after 4 hours. The percentage reduction of absorbance relative to the control after 4 hours gives the DPPH test value, with a reproducibility generally of  $\pm 5\%$ . This value may conveniently be expressed in terms of a simple reduction in absorbance units (AU) relative to the control.

Ascorbic acid, a well-known antioxidant, provides a useful positive control substance for comparative purposes. Freeze-dried sponges of chitin/chitosan and hydroxyethyl cellulose were used as negative controls.

Application of this test resulted in DPPH test values of 80 - 90% for the positive control ( $10^{-4}$ M). In contrast, the negative controls chitin/chitosan and hydroxyethyl cellulose exhibited much lower DPPH values of less than 15%. The collagen/ORC without any added dye or silver exhibited some activity in the DPPH test, indicating that ORC itself has some antioxidant properties. The materials according to the present invention are expected to exhibit significantly higher activity in the DPPH test than collagen/ORC alone, consistent with antioxidant activity of the dyes.

## Procedure 2

The bactericidal activity of the sponges prepared in Examples 1 to 7 is tested on  
 5 *pseudomonas Aeruginosa* and *staphylococcus Aureus* by looking at zone of inhibition.

Six 2cm x 2cm squares of each sample are cut out in sterile conditions. On day  
 one of the experiment, cultures of both *Pseudomonas aeruginosa* (ATCC 27853  
 10 and various PSI strains) and *Staphylococcus aureus* (provided by the Dept of  
 Clinical Microbiology and Pathology) are incubated aerobically at 37°C for 24  
 hours on Diagnostic Sensitivity Agar (DSA). After 24 hours test samples are each  
 placed on a DSA plate and immediately wetted with 0.5mls of a buffer solution.  
 Three squares of sample are placed on plates inoculated with *Pseudomonas*  
 15 *aeruginosa* and three are placed on plates inoculated with *Staphylococcus aureus*.  
 The plates are then incubated at 37°C for 24 hours. The zone of inhibited growth  
 around the sample is then measured using calipers, and the test sample is placed  
 on a new inoculated DSA plate. A swab test is carried out on the area beneath the  
 sample to determine if the sample is bacteriostatic if not bactericidal by smearing  
 20 the swab on a DSA plate and incubating it for 24 hours and then examining the  
 growth. The samples are transferred onto fresh inoculated plates with the above  
 procedure being carried out every 24 hours for 72 hours as long as the samples  
 remain intact.

25 As a negative control, a freeze dried sponge of 45%ORC/55%collagen without any  
 silver or dye was tested. A commercially available silver-containing antimicrobial  
 dressing (ACTICOAT, registered trade mark of Smith & Nephew) and silver nitrate  
 solution (0.5%) were used as positive controls and zones of inhibition were  
 observed for both over the test period.

30

It is found that significant bactericidal effects are observed against *Staphylococcus aureus* and *Pseudomonas Aeruginosa* for the materials according to the invention.



The performance of the materials containing 1% silver and above is expected to be comparable to that of the ACTICOAT dressing.

The above embodiments have been described by way of example only. Many  
5 other embodiments falling within the scope of the accompanying claims will be apparent to the skilled reader.

**CLAIMS**

1. A wound dressing material comprising a polymeric substrate, a silver salt, and a dyestuff to photostabilize the silver salt.  
5
2. A wound dressing material according to claim 1, wherein the substrate comprises a solid bioabsorbable material, preferably selected from the group consisting of collagens, oxidized celluloses, chitosans, galactomannans, glycosaminoglycans, and mixtures thereof  
10
3. A wound dressing material according to claim 2, wherein the substrate comprises a solid bioabsorbable material selected from the group consisting of collagens, oxidized celluloses, chitosans, and mixtures thereof.
- 15 4. A wound dressing material according to claim 1, wherein the substrate is selected from the group consisting of celluloses, alginates, polyacrylates, polyurethanes, polyamides, and mixtures thereof.
5. A wound dressing material according to any preceding claim, wherein the  
20 wound dressing material is in the form of a continuous solid sheet, an apertured solid sheet, a web, a woven fabric, a knitted fabric, a nonwoven fabric, a freeze-dried sponge or a solvent-dried sponge.
6. A wound dressing material according to any preceding claim, wherein the  
25 polymeric substrate comprises an anionic polymer, and said silver salt comprises a salt of  $\text{Ag}^+$  with the anionic polymer.
7. A wound dressing material according to any preceding claim, wherein the composition comprises from about 0.01wt.% to about 5wt.% of silver, based on the  
30 dry weight of the composition.
8. A wound dressing material according to any preceding claim, wherein the dyestuff comprises an antioxidant dyestuff, for example selected from the group

consisting of aniline dyes, acridine dyes, thionine dyes, bis-naphthalene dyes, thiazine dyes, azo dyes, anthraquinones, and mixtures thereof.

9. A wound dressing material according to claim 8, wherein the antioxidant  
5 dyestuff is selected from the group consisting of gentian violet, aniline blue, methylene blue, crystal violet, acriflavine, 9-aminoacridine, acridine yellow, acridine orange, proflavin, quinacrine, brilliant green, trypan blue, trypan red, malachite green, azacrine, methyl violet, methyl orange, methyl yellow, ethyl violet, acid orange, acid yellow, acid blue, acid red, thioflavin, alphazurine, indigo blue,  
10 methylene green, and mixtures thereof.

10. A wound dressing material according to any preceding claim, wherein the dyestuff is present in an amount of from about 0.2 to about 2wt.% based on the dry weight of the material.

15

11. A wound dressing material according to any preceding claim, wherein the polymeric substrate consists essentially of a mixture of an oxidized cellulose with a collagen and/or a chitosan.

20 12. A wound dressing material according to any preceding claim, wherein the material is sterile and packaged in a microorganism-impermeable container.

13. A wound dressing material according to any preceding claim, wherein the material has a free radical activity in the diphenylpicrylhydrazyl (DPPH) test for  
25 antioxidant activity as herein defined of at least about 15%.

14. Use of a material according to any one of claims 1 to 13 for the preparation of a medicament for the treatment of a wound.

30 15. Use according to claim 14, wherein the wound is a chronic wound, preferably selected from the group consisting of ulcers of venous ulcers, decubitus ulcers, or diabetic ulcers.

16. A method of manufacture of an antioxidant wound dressing material, comprising the steps of:

dyeing a polymeric substrate material with a dye which stabilizes silver salts against photochemical reduction; and

5 treating the substrate material with a silver salt dissolved or dispersed in water or an organic solvent.

17. A method according to claim 16 for the manufacture of a wound dressing material according to any of claims 1 to 13.

10

18. A wound dressing comprising an antioxidant wound dressing material according to any of claims 1 to 13.

19. A wound dressing according to claim 18, wherein the material is sterile and  
15 packaged in a microorganism-impermeable container.

**ABSTRACT****ANTIOXIDANT AND ANTIMICROBIAL WOUND DRESSING MATERIALS**

5

A wound dressing material comprising a polymeric substrate, a silver salt, and a dyestuff to photostabilize the silver salt. The substrate may comprise collagen and/or oxidized regenerated cellulose complexed to  $\text{Ag}^+$ , and the dyestuff may for example be an aniline or acridine dye. Also provided are methods of making such

10 materials, and wound dressings comprising such materials.